FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER: TRADE NAME:

TRADE NAME: 15-15-15 1.2 RECOMMENDED USE: FERTILIZER

1.3 SUPPLIER DETAILS:

HARVEST BUSINESS GROUP USA.

1600 Sky Park Drive, Ste 215• Medford OR 97504 USA

1.4 U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture
 - Classification Not classified

2.2 Label elements



Further information: 2.3 Other hazards

None known

KEEP OUT OF REACH OF CHILDREN -

Appearance and odor: Multi-colored granules with slight odor.

CAUTION – POSSIBLE SKIN IRRITATION – POSSIBLE EYE IRRITATION – POSSIBLE MUCOUS MEMBRANE IRRITATION Potential Health effects

Routes of exposure	Eye contact, skin contact, inhalation.
Eyes	Can cause eye irritation.
Skin	Can cause skin irritation.
Inhalation	May be irritating to respiratory system.
Ingestion	May be irritating to mouth, throat, and stomach.
Target organs	Skin. Eyes. Inhalation.
Signs and symptoms	May cause irritation to the eyes, skin, gastrointestinal tract, and respiratory system.
Detential environmental offecto	This product is not clossified as any iron montally bezardous. However, this does not evolute the possibility t

Potential environmental effects This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have harmful or damaging effect on the environment.

The product does not need to be labeled in accordance with EC directives or respective national laws.

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name:	CAS No.	Classification	Concentration [%]
Sulfate of Potash	7778-80-5		28.94
Monoammonium Phosphate	7722-76-1		28.85
Urea	57-13-6		24.72
Iron Sucrate	8047-67-4		9.91
Biosolids	NA		7.58

4. FIRST AID MEASURES

4.1 Description of First	t Aid Measures
General Advice:	Get medical attention if symptoms occur.
Eye contact:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
Skin contact:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Risk of damage to eyes. Skin irritation. Mucous membrane irritation.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565 Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

	Suitable Extinguishing Media:	Water fog, water spray, carbon dioxide (CO_2), foam. Do not use water jet as this will spread the fire.
5.2	SPECIAL HAZARDS ARISING FROM THE S	UBSTANCE OR MIXTURE:
	Specific Hazards During Firefighting:	During a fire, irritating, corrosive and/or toxic gases may be produced.
5.3	SPECIAL PROTECTIVE EQUIPMENT AND I	PRECAUTIONS FOR FIREFIGHTERS
	Special Protective Equipment for Firefighters:	Self-contained breathing apparatus and full protective gear should be worn in fighting large fires
		involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate

fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES				
Personal Precautions:	Avoid inhalation of vapors and dusts, and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.			
6.2 ENVIRONMENTAL PRECAUTIONS				
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.			
6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP				
Methods for Clean-Up:	Avoid breathing dusts. Sweep up dry spills immediately and transfer to suitable containers for possible land application according to label use or for disposal. Check local, state and federal regulations for proper disposal.			
Never return spills to original containers for re-use.				

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling:

Avoid inhalation of dusts and contact with eyes, skin and clothing. Do not breathe dust or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers:

Store in a cool dry place away from children, feed and food products, and seed. Do not contaminate water, food, or feed by storage or disposal.

8.	EXPOSURE CONTROL	S / PERSONAL PROTECTION	
8.1	CONTROL PARAMETER		
000			
	U.S. Workplace Exposure Components	Eevel (AIHA) WEELS Type	Value
	Urea	TWA	10 mg/m ³
	(CAS: 57-13-6)		
Biolo	ogical limit values		
		al Exposure Indices	
	<u>Components</u>	Value	Specimen
	No listings		
 8.2 EXPOSURE CONTROLS: Engineering Measures Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and dusts. Provide eyewash station and safety shower. Individual Protection Measures: Eye / Face Protection: Goggles or shielded safety glasses are recommended. Skin Protection: Goggles or shielded safety glasses are recommended. Chemical resistant clothing is recommended. Routinely wash work clothing and protective equipment to remove contaminants. The use of chemical-resistant gloves is recommended when handling undiluted product. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. In case of inadequate ventilation or risk of inhalation of vapors or dusts, use suitable respiratory equipment. Wear respiratory protection during operations where spraying or misting occurs. In the U.S.A., if respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown. 			

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1	APPEARANCE :	Granules
	ODOR:	Slight.
	ODOR THRESHOLD:	0.1 ppm.
	COLOR :	Multi-colored.
	pH :	No data available.
	MELTING POINT / FREEZING	G POINT: No data available
	BOILING POINT:	226 – 230 ⁰ F (107.8 – 110 ⁰ C)
	FLASH POINT:	Does not flash
	FLAMMABILILITY (solid, gas):	Does not support combustion.
	UPPER / LOWER FLAMMABII	LITY OR EXPLOSIVE LIMITS: Not applicable.
	VAPOR PRESSURE:	No data available.
	SOLUBILITY:	Soluble
	PARTITION CO-EFFICIENT, r	-OCTANOL / WATER: No data available.
	AUTO-IGNITION TEMPERATI	JRE: No data available.
	DECOMPOSITION TEMPERA	TURE: Not determined
	VISCOSITY:	Not determined
	SPECIFIC GRAVITY (Water =	
	BULK DENSITY:	62.71 lbs/ft ³ / 1004.4 kg/m ³
Note:	These physical data are tw	pical values based on material tested but may vary from sam

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

10.4 CONDITIONS TO AVOID

Avoid excessive heat under confinement.

10.5 INCOMPATIBILE MATERIALS

Avoid mixing with oxidizing materials. Do not mix with combustible materials, wood chips, organic materials, flammable liquids, chlorides, perchlorates, or sulfur. Avoid contact with alkalis. Incompatible with aluminum + formamide; dimethylformamide

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May release toxic fumes of ammonia, oxides of carbon, oxides of nitrogen, hydrogen chloride, ammonium chloride, and chlorine in a high temperature or fire situation.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Skin contact, eye contact. LC₅₀ (rat) (Urea): No data available. LD₅₀ Oral (rat): 14,300 mg/kg (Urea) (TFI Product Testing Results, OECD Guideline 425) LD₅₀ Dermal (rat): No data available Acute Toxicity Estimates: No data available Skin Irritation (rabbit): No data available Eye Irritation (rabbit): No data available Specific Target Organ Toxicity: Single exposure: No data available. Aspiration: No data available Skin Sensitization (guinea pig): Not a sensitizer Carcinogenicity: No data available Germ Cell Mutagenicity: No data available Interactive Effects: None known

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. **Ecotoxicological Data**

Components Test Results Species Aquatic organisms Urea Fish 96 hr LC₅₀ >9,100 mg/L (CAS: 57-13-6) Water flea (Daphnia magna) 48 hr EC₅₀ >10,000 mg/L Monoammonium Phosphate Fish (rainbow trout) 96 hr LC₅₀ >86 mg/L (CAS: 7722-76-1) Sulfate of Potash Fish (Lepomis macrochirus) 96 hr LC₅₀ 653 mg/L 48 hr EC₅₀ 890 mg/L (CAS: 7778-80-5) Water flea (Daphnia magna) Algae (Desmodesmus subspicatus) 72 hr EC₅₀ 2,900 mg/L

Drift or runoff may adversely affect non-target plants. Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: The product is not readily biodegradable

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

This product is water soluble and may disperse in soil.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Do not reuse container. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Do not contaminate water, food or feed by storage and disposal.

14. TRANSPORT INFORMATION

14.1 LAND TRANSPORT

```
DOT Shipping Description: NOT REGULATED BY DOT
```

U.S. Surface Freight Classification: FERTILIZING COMPOUNDS (MANUFACTURED FERTILIZERS), NOI; DRY (NMFC 68140, SUB 5; CLASS 50)

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:	NFPA		HMIS		
	1 Health 0 Flammability 0 Instability	0 Least 1 Slight 2 Moderate 3 High 4 Severe	1 Health 0 Flammability 0 Reactivity B PPE		
SARA Hazard Notification/Reporting SARA Title III Hazard Category:	Immediate Y Delayed N	-	N Sudden Release of Pressure	<u>N</u>	
Reportable Quantity (RQ) under U.S. SARA, Title III, Section 313: Not listed	CERCLA: Not listed.				

RCRA Waste Code: Not listed

CA Proposition 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

16. OTHER INFORMATION

SDS STATUS: Format change; all sections revised

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and HARVEST BUSINESS GROUP USA, disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.