

ALL PURPOSE + MICRONUTRIENTS

GUARANTEED ANALYSIS:

Total Nitrogen(N).....20.00% 3.5% Ammoniacal Nitrogen 5.5% Nitrate Nitrogen 11.0% Urea Nitrogen Available Phosphate (P₂O₅)....20.00% Soluble Potash(K₂O)......20.00% Boron(B)......0.02% Copper(Cu)......0.05% 0.05% Chelated Copper Iron(Fe)......0.10% 0.10% Chelated Iron Manganese(Mn)......0.05% 0.05% Chelated Manganese Molybdenum(Mo).....0.0005% Zinc(Zn)......0.05%

0.05% Chelated Zinc Derived from: monoammonium phosphate, potassium nitrate, urea, monopotassium phosphate, sodium borate, copper ethylenediaminetetraacetate (EDTA), iron EDTA, manganese EDTA, sodium molybdate, and zinc EDTA.

Mixing and Handling:

Compatibility: 20-20-20 may be applied separately or in conjunction with most pesticides and fertilizers. Note, adding wetting agents often enhances nutrient availability. DO NOT use with basic metal sulfates, strongly alkaline materials (such as hydrated lime and lime sulfur), or spray oils. A compatibility test is recommended if the desired combination has not been previously used. Tank mixtures with copper-based products can be phytotoxic due to increased solubility of copper. Apply the spray solution to a small test area before general applications to determine any undesirable phytotoxic effects.

Mixing: Dissolve the recommended amount of this product into approximately one half the required water. Slowly add the remaining water while maintaining constant agitation. Water quality and temperature will determine maximum solubility. Warmer water temperatures increase solubility and shorten dissolving time. As this product goes into solution, the water temperature will drop. It is important when preparing concentrated solutions to allow for this drop in temperature. This insures that the fertilizer is completely dissolved. DO NOT exceed 2 lbs. 20-20-20 per gallon of finish

Note: 2 lbs. (20-20-20) per 100 gallons = 1 oz./3 gal. or 1 Tbsp./1 gal.

Purpose: Use as a nutrient or supplement during all applicable phases of plant growth. See suggested dosage below. Suggested Dosage:

Dilute: Greater than 100 gallons/acre. Concentrate: 10-100 gallons/acre. Aerial: 5-20 gallons/acre.

General Use (Nursery, Greenhouse Turf (Commercial) and Landscape Plantings): Use as a foliar spray, soil drench or transplant solution, apply 2-4 lbs. per 100 gallons of water as needed. For constant feeding, apply 4-12 oz. per 100 gallons

Field and Vegetable Crops (such as alfalfa, beans, broccoli, carrots, cauliflower, corn, cotton, cucumbers, lettuce, onions, peas, peppers, sorghum, sugarbeets, tomatoes and wheat): Apply 3-10 lbs./acre when plants are 3 to 4 weeks old

Fertigation: Apply this product at rates necessary to provide the desired levels of nutrients. Finish application at least one-half hour before end of irrigation schedule.

Fruit and Nut Crops (such as almonds, apples, apricots, avocados, cherries, citrus, nectarines, peaches, pears, pecans, plums, prunes and walnuts): Apply 5-20 lbs./acre early in the growing season when leaves have emerged and repeat as needed. Do not use in late season sprays where fruit color and maturity is delayed by nitrogen applications. Do not use on Golden Delicious apples during slow

drying conditions. Vine and Berry Crops (such as bush-berries, caneberries, grapes, hops and strawberries): Apply 5-10 lbs./acre in early spring or when deficiency symptoms first appear and repeat as needed.

Precautionary Statements WARNING: Causes serious eye irritation. Suspected of damaging fertility or the unbord child.

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Response: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If eye irritation persists: Get medical advice/attention, Take off contaminated clothing and wash it before reuse. Storage: Storage locked up. Disposal: Disposa of contents/container in accordance with Storage: Store locked up. Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Warranty: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use; but neither this warranty nor any other warranty of merchantability or fitness of a particular product expressed or implied, extends to the use of this product contrary to label conditions, or under conditions not reasonably foreseeable to the seller; and buyer assumes the risk of any such use.

KEEP OUT OF REACH OF CHILDREN

Guaranteed by:

OREGON GLOBAL DISTRIBUTION, INC. 1600 Sky Park Dr, STE 215

Medford, Oregon 97504 USA www.harvestfoodforlife.com

MADE IN THE U.S.A.



WARNING: CONTAINS MOLYBDENUM, FORAGE CROPS HIGH IN MOLYBDENUM MAY BE TOXIC TO GRAZING RUMINANT ANIMALS OR OTHER LIVESTOCK. USE ONLY ACCORDING TO MANUFACTURER'S DIRECTIONS.

Note: This product is sold by weight and not volume. This product is hygroscopic in nature.

ATTENTION: THIS PRODUCT ALSO CONTAINS BORON AND MAY RESULT IN INJURY TO CROPS.



Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html NET WEIGHT: 12.5 kg

MARNING: Cancer and Reproductive Harm. www.P65Warnings.ca.gov